



# PERSONAL PROTECTIVE EQUIPMENT

GLOVES	417
SAFETY SHOES	424
KNEE PADS - APRONS	426
TOOL BAGS - BELTS	427







**EN 388: 2016**

**Gloves providing protection from mechanical risks**



A, B, C, D, E

Performance level rating	1	2	3	4	5	
A. Abrasion resistance (cycles)	100	500	2000	8000	-	
B. Blade cut resistance (factor)	1,2	2,5	5,0	10,0	20,0	
C. Tear resistance (newton)	10	25	50	75	-	
D. Puncture resistance (newton)	20	60	100	150	-	
Performance level rating ISO	A	B	C	D	E	F
E. Linear cut resistance (newton)	2	5	10	15	22	30



**MUST  
HAVE**



**LEATHER DRIVING GLOVES**

REF.	SIZE	BOX	CARTON
77 391	L 9"	12*	120
77 286	XL 10"	12*	120

- Natural goat skin leather
- Extremely soft for greater agility
- EN 388: 2016
- Ideal for drivers

EN388: 2016



2.1.3.2.X



**MUST  
TRY**



**LEATHER DRIVING GLOVES,  
HEAVY DUTY**

REF.	SIZE	BOX	CARTON
77 287	XL 10"	12*	120

- A' quality yellow cow grain leather, 1.3-1.5mm thickness and reinforced seams
- Cotton piping to avoid rubbing
- EN 388: 2016
- Super heavy duty for drivers

EN388: 2016



3.1.3.1



\*MULTIPLE ORDER QUANTITY



**BEST  
SELLER**

GENERAL  
USE



**COW SPLIT LEATHER GLOVES**

REF.	SIZE	BOX	CARTON
77 308	XL	10"	12*



- Cow split leather glove, full leather, wing thumb, unlined, with extremely resistant seams
- Glove length 25cm
- EN 388: 2016

EN388: 2016



4.1.2.3



GENERAL  
USE



**GOAT SKIN LEATHER GLOVES**

REF.	SIZE	BOX	CARTON
77 285	XL	10"	12



- Natural goat skin leather palm, unlined
- Brown cow split leather back
- Comfortable and light
- EN 388: 2016

EN388: 2016



2.1.3.1



GENERAL  
USE



**GRAIN LEATHER PALM GLOVES**

REF.	SIZE	BOX	CARTON
77 355	L	9,5"	12*
77 283	XL	10,5"	12*



- A' quality cow grain leather, index finger
- Elastic snigger band made of A' quality canvas fabric, rubberized cuff
- Light, soft and comfortable
- EN 388: 2016

EN388: 2016



2.1.2.1



**BEST  
SELLER**

GENERAL  
USE



**GRAIN LEATHER PALM GLOVES**

REF.	SIZE	BOX	CARTON
77 284	XL	10,5"	12*



- A' quality cow grain leather
- Elastic snigger band made of A' quality cotton fabric, rubberized cuff
- Light, soft and comfortable
- EN 388: 2016

EN388: 2016



2.1.2.1



\*MULTIPLE ORDER QUANTITY





**LEATHER PALM  
WORK GLOVES**

REF.	SIZE	BOX	CARTON
77 304	XL 10"	12*	120

- Cow split leather, index finger
- Elastic snigger band by A' quality canvas fabric
- Double seams, rubberized cuff
- Super durable and strong
- EN 388: 2016

EN388: 2016



4.1.4.4



**BEST  
SELLER** **MUST  
HAVE**



**DOUBLE LEATHER PALM  
WORK GLOVES**

REF.	SIZE	BOX	CARTON
77 305	XL 10"	12*	120

- Cow split leather reinforced palm, index finger
- Elastic snigger band made of A' quality canvas fabric
- Double seams, rubberized cuff
- Extra durable and strong
- EN 388: 2016

EN388: 2016



2.1.1.2.X



\*MULTIPLE ORDER QUANTITY






**LEATHER WELDING GLOVES 29cm**

REF.	SIZE	BOX	CARTON
77 306	XL	11"	12*

- Cow split leather, wing thumb, cuff
- Without lining, outside sewing
- Glove length 29cm
- EN 388: 2016

EN388: 2016  
3.1.4.3  
CE





**LEATHER WELDING GLOVES 35cm**

REF.	SIZE	BOX	CARTON
77 307	XL	11"	12*

- Cow split leather with extremely durable seams
- With lining
- Glove length 35cm
- EN 388: 2016

EN388: 2016  
4.1.4.4  
CE




**FINGERLESS MECHANICS GLOVES**

REF.	SIZE	BOX	CARTON
77 362	M	8"	12
77 303	L	9"	12
77 363	XL	10"	12

- Synthetic leather, reinforced thumb and fore finger, fingerless
- Double palm with EVA padding for anti-vibration
- Two layers stretch fabric, joint style slip-on cuff, velcro type adjustment
- EN 388: 2016
- With 4 layers

EN388: 2016  
1.1.2.1  
CE




**MECHANICS GLOVES**

REF.	SIZE	BOX	CARTON
77 360	M	8"	12
77 302	L	9"	12
77 361	XL	10"	12

- Synthetic leather, reinforced thumb and fore finger
- Double palm with EVA padding for anti-vibration
- Two layers stretch fabric, joint style slip-on cuff, velcro type adjustment
- EN 388: 2016
- With 4 layers

EN388: 2016  
2.1.2.1.X  
CE



\*MULTIPLE ORDER QUANTITY



**BEST  
SELLER**



**LEATHER PALM  
ASSEMBLING GLOVES**

REF.	SIZE	BOX	CARTON
77 358	M	8"	12* 120
77 301	L	9"	12* 120
77 359	XL	10"	12* 120

- A' quality goat skin leather
- Elastic cotton for more flexibility
- Elastic band cuff, velcro type adjustment
- Light, soft and comfortable
- EN 388: 2016

EN388: 2016



2.1.2.1.X



**BEST  
SELLER** **MUST  
HAVE**



**SUPERIOR  
GRIP**



**LATEX COATED WORK GLOVES**

REF.	SIZE	BOX	CARTON
77 297	M	8"	12* 120
77 298	L	9"	12* 120
77 299	XL	10"	12* 120
77 405	XXL	11"	12* 120

- Cut and abrasive resistant
- Ideal for glaziers, ironworkers, electricians
- Polyester knitted lining, latex wrinkled palm, coated for excellent grip
- Elastic wrist snigger
- Colour/size indication on the cuff
- EN 388: 2016

EN388: 2016



2.1.4.4.X



**SUPERIOR  
GRIP**



**LATEX COATED KEVLAR GLOVES**

REF.	SIZE	BOX	CARTON
77 293	L	9"	12 120

- KEVLAR knitted lining, blue latex wrinkled palm coated, for excellent grip
- Resistant to heat 200°C for 15 sec
- Elastic wrist snigger
- EN 388: 2016

EN388: 2016



2.3.4.4



\*MULTIPLE ORDER QUANTITY

**MUST TRY**



**CUT RESISTANT**

**5 LEVEL**  
CUT RESISTANT



**NITRILE COATED GLOVES WITH HPPE & FIBERGLASS KNITTING**

REF.	SIZE	BOX	CARTON
77 392	L	9"	12* 120
77 393	XL	10"	12* 120
77 394	XXL	11"	12* 120

- Impregnated with nitrile on palm and fingers for excellent grip
- Liner with HPPE and glass fiber for anti-cut protection
- Colour/size indication on the cuff
- EN 388: 2016

EN388: 2016



4.5.4.4



**BEST SELLER**



**NITRILE DOUBLE COATED GLOVES**

REF.	SIZE	BOX	CARTON
77 356	M	8"	12* 120
77 300	L	9"	12* 120
77 357	XL	10"	12* 120
77 407	XXL	11"	12* 120

- Nitrile (NBR) palm double coated, rough finish for excellent grip
- Soft seamless knitted liner provides comfort and it is breathable
- Elastic wrist snugger
- Colour/size indication on the cuff
- EN 388: 2016

EN388: 2016



4.1.2.1.X



**BEST SELLER** **MUST HAVE**



**SUPERIOR GRIP**

**NITRILE COATED WORK GLOVES**

REF.	SIZE	BOX	CARTON
77 408	S	7"	12* 120
77 294	M	8"	12* 120
77 295	L	9"	12* 120
77 296	XL	10"	12* 120
77 409	XXL	11"	12* 120

- Nylon knitted lining, nitrile (NBR) palm coated for resistance to abrasion and cutting
- Ideal for glaziers, ironworkers, electricians
- Nylon soft knit & elastic wrist snugger
- Colour/size indication on the cuff
- EN 388: 2016

EN388: 2016



3.1.2.2.X



\*MULTIPLE ORDER QUANTITY





OIL PENETRATION  
RESISTANCE

**NBR COATED GLOVES**

REF.	SIZE	BOX	CARTON
77 288	M 8"	12*	120
77 289	L 9"	12*	120
77 290	XL 10"	12*	120

- Nitrile(NBR) coated for extreme resistance to oil penetration
- 100% cotton fabric
- Elastic knitted wrist snugger
- Thickness 0,9mm
- EN 388: 2016

EN388: 2016



3.1.2.1.X



MUST  
HAVE

OIL PENETRATION  
RESISTANCE



**HEAVY NBR COATED GLOVES**

REF.	SIZE	BOX	CARTON
77 291	XL 10"	12*	120

- Nitrile (NBR) half back coated for extreme resistance to oil penetration
- Jersey fabric for maximum comfort
- Thickness 1,5mm
- EN 388: 2016

EN388: 2016



4.1.1.1



\*MULTIPLE ORDER QUANTITY

OIL PENETRATION  
RESISTANCE



**HEAVY NBR FULLY COATED GLOVES**

REF.	SIZE	BOX	CARTON
77 292	XL 10"	12*	120

- Nitrile (NBR) fully coated for extreme resistance to oil penetration
- Jersey fabric for maximum comfort
- Thickness 1,5mm
- EN 388: 2016

EN388: 2016



4.1.1.1



Resistance to weak acids & oil

Waterproof



Antistatic



**WORK BOOTS**  
**WR/BL17**

REF.	SIZE	BOX
77 451	39	10
77 452	40	10
77 453	41	10
77 454	42	10
77 455	43	10
77 456	44	10
77 457	45	10
77 458	46	10
77 459	47	10

- Anatomic insole and shock absorbing polyurethane sole
- Breathable garment
- High quality leather
- Antistatic up to 1.000 MΩ
- The dyes used in shoes to colour fabrics, skins & threads are in accordance with anticancer directives & regulations of the European Union

**CE**



**BEST SELLER**

Resistance to weak acids & oil



Metal toe cap

Antistatic



**SAFETY BOOTS**  
**S1/BL27**

REF.	SIZE	BOX
77 469	39	10
77 470	40	10
77 471	41	10
77 472	42	10
77 473	43	10
77 474	44	10
77 475	45	10
77 476	46	10
77 477	47	10

- Anatomic insole and shock absorbing polyurethane sole
- Breathable garment
- High quality leather
- Shock resistant up to 200 Joule
- Antistatic up to 1.000 MΩ
- The dyes used in shoes to colour fabrics, skins & threads are in accordance with anticancer directives & regulations of the European Union

**CE**



Resistance to weak acids & oil

Waterproof



Composite toe cap

Antistatic

Penetration resistance (with Kevlar)




**METAL FREE**

**SAFETY BOOTS**  
**S3/BL77**

REF.	SIZE	BOX
77 487	39	10
77 488	40	10
77 489	41	10
77 490	42	10
77 491	43	10
77 492	44	10
77 493	45	10
77 494	46	10
77 495	47	10

- Anatomic insole and shock absorbing polyurethane sole
- Breathable garment
- High quality leather
- Shock resistant up to 200 Joule
- Antistatic up to 1.000 MΩ
- The dyes used in shoes to colour fabrics, skins & threads are in accordance with anticancer directives & regulations of the European Union

**CE**



\*MULTIPLE ORDER QUANTITY



Resistance to weak acids & oil



Waterproof

Antistatic

**CE** **AZO FREE**

**WORK BOOTS WR/BL18**

- Anatomic insole and shock absorbing polyurethane sole
- Breathable garment
- High quality leather
- Antistatic up to 1.000 MQ
- The dyes used in shoes to colour fabrics, skins & threads are in accordance with anticancer directives & regulations of the European Union

REF.	SIZE	BOX
77 460	39	10
77 461	40	10
77 462	41	10
77 463	42	10
77 464	43	10
77 465	44	10
77 466	45	10
77 467	46	10
77 468	47	10



**BEST SELLER** Resistance to weak acids & oil



Metal toe cap

Antistatic

**CE** **AZO FREE**

**SAFETY BOOTS S1/BL28**

- Anatomic insole and shock absorbing polyurethane sole
- Breathable garment
- High quality leather
- Shock resistant up to 200 Joule
- Antistatic up to 1.000 MQ
- The dyes used in shoes to colour fabrics, skins & threads are in accordance with anticancer directives & regulations of the European Union

REF.	SIZE	BOX
77 478	39	10
77 479	40	10
77 480	41	10
77 481	42	10
77 482	43	10
77 483	44	10
77 484	45	10
77 485	46	10
77 486	47	10



Resistance to weak acids & oil



Waterproof

Composite toe cap

Antistatic

Penetration resistance (with Kevlar)

**CE** **AZO FREE**

**SAFETY BOOTS S3/BL78**

- Anatomic insole and shock absorbing polyurethane sole
- Breathable garment
- High quality leather
- Shock resistant up to 200 Joule
- Antistatic up to 1.000 MQ
- The dyes used in shoes to colour fabrics, skins & threads are in accordance with anticancer directives & regulations of the European Union

REF.	SIZE	BOX
77 496	39	10
77 497	40	10
77 498	41	10
77 499	42	10
77 500	43	10
77 501	44	10
77 502	45	10
77 503	46	10
77 504	47	10

**METAL FREE**

\*MULTIPLE ORDER QUANTITY

**MUST HAVE**

**KNEE PROTECTION PADS**

REF.	BOX
70 321	10

- Rugged PVC hard caps for protection against rough surfaces
- Tough 600 denier ballistic nylon construction, shock resistant
- One strap with hook and one with velcro type for greater safety in the application



**600 DENIER BALLISTIC NYLON FABRIC**



**GENERAL PURPOSE APRON**

REF.	DIMENSIONS	BOX
38 361	W74xH109,5cm	6



\*MULTIPLE ORDER QUANTITY





**GENERAL PURPOSE APRON WITH POCKETS**

REF.	DIMENSIONS	BOX
38 362	L45xH25cm	6

- 2 exterior pockets
- Adjustable belt



**MUST HAVE**

**TOOL BELT**

REF.	BOX
77 017	10



- Belt length 110 - 140cm
- 12 pockets
- 2 hammer holders
- Adjustable belt



\*MULTIPLE ORDER QUANTITY



**BEST  
SELLER**



**TOOL BAG**

REF.	DIMENSIONS	BOX
77 012	W17xL36xH30cm	6

- 8 external pockets
- 1 external pocket with zipper
- 8 internal pockets
- 8 interior elastic holders



**OPEN MOUTH TOOL BAG  
WITH HANDLE**

REF.	DIMENSIONS	BOX
77 014	W29xL52xH35cm	4

- 12 exterior pockets
- 1 tape measure holder
- 1 exterior pocket with cover
- 12 interior holders
- 10 interior pockets
- Stainless steel tube, foam rubber handle
- Adjustable shoulder strap

**BEST  
SELLER**

**OPEN MOUTH TOOL BAG  
WITH HANDLE**

REF.	DIMENSIONS	BOX
77 013	W21xL42xH29cm	6

- 8 interior holders
- 4 interior pockets
- 11 exterior pockets
- Stainless steel tube, foam rubber handle
- Adjustable shoulder strap
- Foldable construction



\*MULTIPLE ORDER QUANTITY



**BEST  
SELLER**



**TOOL BAG**

REF.	DIMENSIONS	BOX
77 015	W26xL44xH33cm	10

- 1 exterior pocket with cover
- 20 exterior pockets
- 10 interior pockets
- Adjustable shoulder strap

**NICE  
TO HAVE**

**TOOL BAG  
WITH HANDLE**

REF.	DIMENSIONS	BOX
77 016	W22,5xL39xH31cm	6

- 10 interior pockets
- 18 interior holders
- 1 exterior pocket with zipper
- 1 interior pocket with zipper
- Stainless steel tube, foam rubber handle
- Adjustable shoulder strap



**GENERAL PURPOSE BAG**

REF.	DIMENSIONS	BOX
38 363	W12xL50xH40cm	6

- 2 exterior pockets



\*MULTIPLE ORDER QUANTITY









# PERSONAL PROTECTIVE EQUIPMENT

GLOVES	433
.....	
SAFETY CLOTHES	439
.....	
SAFETY BOOTS	440
.....	
FILTERING MASKS	442
.....	







**EN 388: 2016**

**Gloves providing protection from mechanical risks**



A, B, C, D, E

Performance Level Rating	1	2	3	4	5	
A. Abrasion resistance (cycles)	100	500	2000	8000	-	
B. Blade cut resistance (factor)	1,2	2,5	5,0	10,0	20,0	
C. Tear resistance (newton)	10	25	50	75	-	
D. Puncture resistance (newton)	20	60	100	150	-	
Performance Level Rating ISO	A	B	C	D	E	F
E. Linear cut resistance (newton)	2	5	10	15	22	30



EN388: 2016  
4.1.2.3.X  
CE

**LEATHER PALM WORK GLOVES**

CODE	SIZE	SIZE.	BOX	CARTON
30 023	XL	10,5"	12*	120

- Palm made of cow's split leather
- Reverse side and rubberized cuff made of A' quality cotton fabric
- EN 388: 2016



EN388: 2016  
4.1.2.3.X  
CE

**LEATHER PALM WORK GLOVES**

CODE	SIZE	SIZE.	BOX	CARTON
35 153	XL	10"	12*	120

- Palm made of A/B quality cow split leather
- Back hand and cuff made of good quality cotton fabric
- Double stitches
- Strong and soft
- EN 388: 2016

**BEST SELLER**



EN388: 2016  
4.1.2.3.X  
CE

**LEATHER PALM WORK GLOVES**

CODE	SIZE	SIZE.	BOX	CARTON
30 021	XL	10,5"	12*	120

- Palm made of cow's split leather
- Reverse side and rubberized cuff made of A' quality cotton fabric
- EN 388: 2016

**BEST SELLER**



EN388: 2016  
4.1.4.2.X  
CE

**DOUBLE LEATHER PALM WORK GLOVES**

CODE	SIZE	SIZE.	BOX	CARTON
30 022	XL	10,5"	10*	100

- Palm & index finger made of reinforced cow split leather
- Back side and rubberized cuff made of A' quality cotton fabric
- EN 388: 2016



EN388: 2016  
4.1.4.4  
CE

**REFLECTIVE LEATHER PALM WORK GLOVES**

CODE	SIZE	SIZE.	BOX
40 617	XL	10,5"	12*

- EN 388: 2016



**PVC DOT KNIT GLOVES**

CODE	SIZE	SIZE.	BOX	CARTON
30 020	XL	10"	12*	120

- Black PVC dots on palm
- Natural color drill back
- Knitted cuff

\*MULTIPLE ORDER QUANTITY



**SUPERIOR GRIP**



**LATEX COATED  
WORK GLOVES**

CODE	SIZE	SIZE.	BOX	CARTON
30 014	M	8"	12*	120
30 015	L	9"	12*	120
30 016	XL	10"	12*	120

- Latex wrinkled palm coated for resistance to abrasion and cutting
- Soft knit & elastic wrist snigger
- Color/size indication on the cuff
- EN 388: 2016



EN388: 2016



**OIL PENETRATION  
RESISTANCE**



**NBR COATED  
GLOVES**

CODE	SIZE	SIZE.	BOX
30 006	M	8"	12*
30 007	L	9"	12*
30 008	XL	10"	12*

- Thickness 0,7mm
- Nitrile (NBR) palm coated for extreme resistance to oil penetration
- 100% cotton fabric, interlock lining
- Elastic knitted wrist snigger
- Color/size indication on the cuff
- EN 388: 2016



EN388: 2016



**EXCELLENT GRIP**



**NITRILE COATED  
WORK GLOVES**

CODE	SIZE	SIZE.	BOX
39 259	S	7"	12*
30 011	M	8"	12*
30 012	L	9"	12*
30 013	XL	10"	12*
39 260	XXL	11"	12*

- Nitrile (NBR) palm coated for resistance to abrasion and cutting
- Ideal for glaziers, ironworkers, electricians
- Polyester knitted lining & wrist snigger
- Color/size indication on the cuff
- EN 388: 2016



EN388: 2016



\*MULTIPLE ORDER QUANTITY

**BEST SELLER** **MUST HAVE**

EXCELLENT GRIP



**NITRILE COATED  
WORK GLOVES**

CODE	SIZE	SIZE.	BOX
41 200	S	7"	12*
41 201	M	8"	12*
41 202	L	9"	12*
41 203	XL	10"	12*
41 204	XXL	11"	12*



- Smooth nitrile (NBR) palm coated for resistance to abrasion and cutting
- Ideal for glaziers, ironworkers, electricians
- 13g Polyester knitted lining & knitted cuff
- Color/size indication on the cuff
- EN 388: 2016

EN388: 2016



3.1.2.1



**BEST SELLER** **MUST HAVE**

EXCELLENT GRIP



**NITRILE COATED  
WORK GLOVES**

CODE	SIZE	SIZE.	BOX
41 205	S	7"	12*
41 206	M	8"	12*
41 207	L	9"	12*
41 208	XL	10"	12*
41 209	XXL	11"	12*



- Smooth nitrile (NBR) palm coated for resistance to abrasion and cutting
- Ideal for glaziers, ironworkers, electricians
- 13g Polyester knitted lining & knitted cuff
- Color/size indication on the cuff
- EN 388: 2016

EN388: 2016



3.1.2.1



**NEW**

EXCELLENT GRIP



**LATEX COATED  
GLASS RIPPER GLOVES**

CODE	SIZE	SIZE.	BOX
45 741	L	9"	12*
11 277	XL	10"	12*

- Cotton fabric, immersed in Latex
- Properly shaped surface, resistant to cuts
- Elastic safety cuff
- Internal coating
- Non-slip grip
- EN 388: 2016

EN388: 2016



1.1.2.1.X



\*MULTIPLE ORDER QUANTITY



**MUST TRY**



**EXCELLENT GRIP**

**PU COATED WORK GLOVES**

CODE	SIZE	SIZE.	BOX
41 210	S	7"	12*
41 211	M	8"	12*
41 212	L	9"	12*
41 213	XL	10"	12*
41 214	XXL	11"	12*

- PU palm coated for resistance to abrasion and tear
- Ideal for works which require good dexterity
- Very flexible, anti-slip grip
- 13g polyester knitted lining & knitted cuff
- Color/size indication on the cuff
- EN 388: 2016



EN388: 2016



4.1.3.1



**MUST TRY**



**ANTISTATIC PU COATED GLOVES WITH POLYESTER & CARBON FIBER KNITTING**

CODE	SIZE	SIZE.	BOX
41 215	M	8"	12*
41 216	L	9"	12*
41 217	XL	10"	12*

- PU palm coated for resistance to abrasion and tear
- Ideal for works which require good dexterity
- Very flexible, anti-slip grip
- 13g polyester blend and carbon fiber for anti-static properties
- Color/size indication on the cuff
- EN 388: 2016



EN388: 2016



4.1.3.1



\*MULTIPLE ORDER QUANTITY

**MUST HAVE**



**OIL PENETRATION RESISTANCE**

**HEAVY NBR COATED GLOVES**



CODE	SIZE	SIZE.	BOX	CARTON
30 009	L	10"	12*	120

- Thickness 1,2mm
- Nitrile (NBR) half back coated for extreme resistance to oil penetration
- Jersey fabric for maximum comfort
- EN 388: 2016

EN388: 2016



4.1.1.1



**MUST HAVE**



**OIL PENETRATION RESISTANCE**

**HEAVY NBR FULLY COATED GLOVES**



CODE	SIZE	SIZE.	BOX	CARTON
30 010	XL	10"	12*	120

- Thickness 1,2mm
- Nitrile (NBR) fully coated for extreme resistance to oil penetration
- Jersey fabric for maximum comfort
- EN 388: 2016

EN388: 2016



4.1.1.1



**MUST HAVE**



**PVC GLOVES FOR OIL**

CODE	SIZE	BOX
30 018	27cm	12*
30 019	35cm	12*

- EN 388: 2016

EN388: 2016



4.1.2.1



**MUST HAVE**



**PVC GLOVES FOR OIL, WITH WRIST SNUGGER**

CODE	SIZE	SIZE.	BOX
30 017	XL	10,5"	12*

- EN 388: 2016

EN388: 2016



4.1.2.1



\*MULTIPLE ORDER QUANTITY



**BEST SELLER** **MUST HAVE**



LIGHTLY  
POWDERED

**LATEX DISPOSABLE GLOVES,  
LIGHTLY POWDERED**

CODE	SIZE	WEIGHT / PC	PACK	BOX
27 143	M	5,7gr	100	10*
27 145	L	6,1gr	100	10*
27 144	XL	6,5gr	100	10*

- Glove made of natural Latex, ambidextrous, high quality
- Excellent handle and tenderness
- With low latex protein percentage
- Certified for food handling



AQL 1.5



POWDER  
FREE

**LATEX DISPOSABLE GLOVES,  
POWDER FREE**

CODE	SIZE	WEIGHT / PC	PACK	BOX
37 032	M	5,8gr	100	10*
37 033	L	6,2gr	100	10*
37 034	XL	6,6gr	100	10*

- Glove made of natural Latex, ambidextrous, high quality
- Excellent handle and tenderness
- With low latex protein percentage
- Certified for food handling



AQL 1.5



**BEST SELLER** **MUST HAVE**



POWDER  
FREE

**NITRILE DISPOSABLE GLOVES,  
POWDER FREE**

CODE	SIZE	WEIGHT / PC	PACK	BOX
34 285	M	4,5gr	100	10*
34 286	L	5,0gr	100	10*
34 287	XL	5,2gr	100	10*

- Ambidextrous, high quality
- Excellent resistance to industrial oils and petrol
- Ideal alternative for users allergic to protein latex
- Certified for food handling



AQL 1.5



\*MULTIPLE ORDER QUANTITY

**BEST SELLER** **MUST HAVE**



PVC  
POL  
PVC

- Rain suit made of pure PVC for greater strength and elasticity
- Tear resistant reinforced seams
- Ventilation holes on the back and underarms
- No unpleasant smell
- With reinforced crotch for wear resistance
- Thickness: 0,32mm

**RAIN COAT, PVC**

CODE	COLOR	SIZE	BOX
18 238	GREEN	L	25
18 239	GREEN	XL	25
18 240	GREEN	XXL	25
18 241	YELLOW	L	25
18 242	YELLOW	XL	25
18 243	YELLOW	XXL	25

**BEST SELLER** **MUST HAVE**



PVC  
POL  
PVC

- Rain suit made of pure PVC for greater strength and elasticity
- Tear resistant reinforced seams
- Ventilation holes on the back and underarms
- No unpleasant smell
- With reinforced crotch for wear resistance
- Thickness: 0,32mm

**RAIN SUIT, PVC**

CODE	COLOR	SIZE	BOX
18 232	GREEN	L	20
18 233	GREEN	XL	20
18 234	GREEN	XXL	20
18 286	YELLOW	L	20
18 235	YELLOW	XL	20
18 236	YELLOW	XXL	20

**MUST HAVE**



- Price does not include the batteries
- Works with 2 batteries (not included)
- With light sensor

**WARNING FLASH LIGHT WITH LED SENSOR**

CODE	SIZE	BATTERIES	USE WITH	BOX
38 671	180	6V	18 255	12



**BEST SELLER** **MUST HAVE**



**REFLECTIVE VEST**

CODE	COLOR	SIZE	BOX
38 183	YELLOW	L	25
38 185	YELLOW	XL	25
38 186	YELLOW	XXL	25
38 187	ORANGE	L	25
38 188	ORANGE	XL	25
38 189	ORANGE	XXL	25

- 5cm reflective tapes 3M type
- Certification: CE, EN ISO 20471: 2013

**MUST HAVE**



**BATTERY FOR SIGNAL FLASH LIGHT**

CODE	SUITABLE FOR	BOX
18 255	38 671	24

\*MULTIPLE ORDER QUANTITY



**BEST SELLER** **MUST HAVE**

Resistance to weak acids & oil



**SUITABLE FOR AGRICULTURAL WORK**

Waterproof

Antistatic

- Shock absorbing polyurethane sole
- Breathable fabric
- High quality leather
- Antistatic up to 1000 MΩ
- The dyes used in FF GROUP shoes to color fabrics, skins & threads are in accordance with anticancer directives & regulations of the European Union



**WORK BOOTS**  
**WR/FF101**

CODE	SIZE
32 073	39
32 074	40
32 075	41
32 076	42
32 077	43
32 078	44
32 079	45
32 080	46
32 081	47

**BEST SELLER** **MUST HAVE**

Resistance to weak acids & oil



Metal Toe Cap

Antistatic

- Shock absorbing polyurethane sole
- Shock resistant up to 200 Joule
- Specially treated leather
- Antistatic up to 1000 MΩ
- The dyes used in FF GROUP shoes to color fabrics, skins & threads are in accordance with anticancer directives & regulations of the European Union



**SAFETY BOOTS**  
**S1/FF201**

CODE	SIZE
23 262	39
23 263	40
23 264	41
23 265	42
23 266	43
23 267	44
23 268	45
23 269	46
23 270	47

**BEST SELLER** **MUST HAVE**

Resistance to weak acids & oil



**MOUNTAINEERING TYPE BUCKLES FOR MORE SAFETY**

Metal Toe Cap

Penetration resistance

Antistatic

- Shock absorbing polyurethane sole
- Antistatic up to 1000 MΩ
- Shock resistant up to 200 Joule
- Specially treated leather
- Resistance to insole perforation up to 1100 N
- The dyes used in FF GROUP shoes to color fabrics, skins & threads are in accordance with anticancer directives & regulations of the European Union



**SAFETY BOOTS**  
**S1P/FF221P**

CODE	SIZE
23 271	39
23 272	40
23 273	41
23 274	42
23 275	43
23 276	44
23 277	45
23 278	46
23 279	47

\*MULTIPLE ORDER QUANTITY


Resistance to weak acids & oil

Waterproof

Antistatic

AZO FREE



CE



• Anatomic insole and shock absorbing polyurethane sole  
• Breathable fabric  
• High quality leather  
• Antistatic up to 1000 MΩ  
• The dyes used in FF GROUP shoes to color fabrics, skins & threads are in accordance with anticancer directives & regulations of the European Union

**WORK BOOTS  
WR/FF131**

CODE	SIZE	BOX
41 002	39	10
41 003	40	10
41 004	41	10
41 005	42	10
41 006	43	10
41 007	44	10
41 008	45	10
41 009	46	10
41 010	47	10

Resistance to weak acids & oil

Waterproof

Metal Toe Cap

Antistatic

AZO FREE

CE



• Anatomic insole and shock absorbing polyurethane sole  
• Breathable fabric  
• High quality leather  
• Antistatic up to 1000 MΩ  
• The dyes used in FF GROUP shoes to color fabrics, skins & threads are in accordance with anticancer directives & regulations of the European Union

**SAFETY BOOTS  
S2/FF232**

CODE	SIZE	BOX
41 011	39	10
41 012	40	10
41 013	41	10
41 014	42	10
41 015	43	10
41 016	44	10
41 017	45	10
41 018	46	10
41 019	47	10





Resistance to weak acids & oil

Waterproof

Metal Toe Cap

Penetration resistance

Antistatic

AZO FREE

CE



• Anatomic insole and shock absorbing polyurethane sole  
• Breathable fabric  
• High quality leather  
• Shock resistant up to 200 Joule  
• Antistatic up to 1000 MΩ  
• The dyes used in FF GROUP shoes to color fabrics, skins & threads are in accordance with anticancer directives & regulations of the European Union

**SAFETY BOOTS  
S3/FF243**

CODE	SIZE	BOX
41 020	39	10
41 021	40	10
41 022	41	10
41 023	42	10
41 024	43	10
41 025	44	10
41 026	45	10
41 027	46	10
41 028	47	10





\*MULTIPLE ORDER QUANTITY



## Filtering Masks Certifications



**Institute for Research and Testing of the German Social Accident Insurance**

IFA conducts tests according to the German Product Safety Act, as well as the EC directives on personal protective equipment (PPE) and on machinery.



The European Standard EN 149: 2001 which controls the limit penetration of particles in the filter and ranks them according to this in FFP1, FFP2, FFP3. The standards also include tests on mechanical strength, breathing resistance and clogging. EN 149 also tests the inward leakage between the mask and face

They also have CE marking, which means that the product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



**F.F. GROUP** filtering masks are packed in carton boxes, inside a plastic visor and contain instructions for use, as well as information on "performance" and the "harmonized standard" to which they comply.

**BEST SELLER**

Aluminium clip with polyurethane nose liner for comfort and protection

**DISPOSABLE**

### FOLDING DUST MASK V-44 SL

CODE	TYPE	BOX	CARTON
36 454	FFP1	50*	1600

- For engineering
- For petrochemicals
- For fertilizers
- For grinding
- For pharmaceutical
- For dyeing & Printing
- For metallurgical industries & foundries
- Double elastic easy adjustable bands, without latex
- EN149: 2001 + A1: 2009 FFP1 NR



\*MULTIPLE ORDER QUANTITY

**BEST SELLER** **MUST HAVE**



**DISPOSABLE**

**CUP SHAPED DUST MASK  
V-210 SL**

CODE	TYPE	BOX	CARTON
36 457	FFP1	25*	800

- For engineering
- For petrochemicals
- For fertilizers
- For grinding
- For pharmaceutical
- For dyeing & printing
- For metallurgical Industries
- Double elastic easy adjustable bands, without latex
- EN149: 2001 + A1: 2009 FFP1 NR



**BEST SELLER** **MUST HAVE**



**DISPOSABLE**

**CUP SHAPED DUST MASK  
WITH VALVE  
V-210 SLV**

CODE	TYPE	BOX	CARTON
36 456	FFP1	15*	480

- For engineering
- For petrochemicals
- For fertilizers
- For grinding
- For pharmaceutical
- For dyeing & printing
- For metallurgical Industries
- Double elastic easy adjustable bands, without latex
- EN149: 2001 + A1: 2009 FFP1 NR



\*MULTIPLE ORDER QUANTITY



**BEST SELLER** **MUST HAVE**

Tight and comfortable fit

Aluminium clip with polyurethane nose liner for comfort and protection

**DISPOSABLE**

**CUP SHAPED DUST MASK WITH VALVE V-220 SLV**

CODE	TYPE	BOX	CARTON
36 455	FFP2	15*	480

Elastic head bands sewed outside filter area

One way exhalation vent valve provides breathing comfort

- For engineering
- For petrochemicals
- For fertilizers
- For grinding
- For pharmaceutical
- For dying & printing
- For metallurgical industries
- Double elastic easy adjustable bands, without latex
- EN149: 2001 + A1: 2009 FFP2 NR D



Low profile design fitting wide range of face contours

Protects against solid and liquid particles



**MUST HAVE**

Full foam seal for leak proof, comfortable fit

**DISPOSABLE**

**CUP SHAPED DUST MASK WITH VALVE V-230 SLV**

CODE	TYPE	BOX	CARTON
36 460	FFP3	5*	200

Protects against solid and liquid particles

Latex free pull type adjustable head bands, do not deform in high temperatures

- For dying & dyestuffs
- For brazing & working with molten metals
- For ferrous & non-ferrous industries
- For fertilizers
- For metallurgical industries
- For pharmaceutical
- Leather tanning
- EN149: 2001 + A1: 2009 FFP3 NR D



Low profile design fitting wide range of face contours

One way exhalation vent valve provides breathing comfort



\*MULTIPLE ORDER QUANTITY

**BEST SELLER** **MUST HAVE**



**DISPOSABLE**

**ACTIVE CARBON MASK WITH VALVE V-414 SLOV**

CODE	TYPE	BOX	CARTON
36 459	FFP2	10*	480

- Individually wrapped
- For dyeing & dyestuffs
- For brazing & working with molten metals
- For ferrous & non-ferrous industries
- For fertilizers
- For petrochemicals
- For tobacco processing
- Double, easy adjustable head bands, without latex, sewed outside filter area
- EN149: 2001 + A1: 2009 FFP2 NR



Active carbon layer

\*MULTIPLE ORDER QUANTITY



**DISPOSABLE**

**ACTIVE CARBON WELDING MASK WITH VALVE V-425 SLOV-V**

CODE	TYPE	BOX	CARTON
36 458	FFP2	10*	480

- Individually wrapped
- For welding
- For ferrous & non-ferrous industries
- For dyeing & dyestuffs
- Double, easy adjustable head bands, without latex, sewed outside filter area
- Do not deform in high temperatures
- EN149: 2001 + A1: 2009 FFP2 NR D



Active carbon layer